


Figure 17

**AGE-ADJUSTED* DEATH RATES FOR ALL CAUSES OF DEATH
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 18

**AGE-SPECIFIC DEATH RATES FOR ALL CAUSES OF DEATH
MONTANA RESIDENTS, 1997-2006**





Figure 19

**AGE-ADJUSTED* DEATH RATES FOR HEART DISEASE
ICD-9: 390-398, 402, 404, 410-429; ICD-10: I00-I09, I11, I13,I20-I51
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 20

**AGE-SPECIFIC DEATH RATES FOR HEART DISEASE
ICD-9: 390-398, 402, 404, 410-429; ICD-10: I00-I09, I11, I13,I20-I51
MONTANA RESIDENTS, 1997-2006**





Figure 21

**AGE-ADJUSTED* DEATH RATES FOR CANCER
ICD-9: 140-208; ICD-10: C00-C97
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 22

**AGE-SPECIFIC DEATH RATES FOR CANCER
ICD-9: 140-208; ICD-10: C00-C97
MONTANA RESIDENTS, 1997-2006**





Figure 23

AGE-ADJUSTED* DEATH RATES FOR CEREBROVASCULAR DISEASE
ICD-9 : 430-434, 436-438; ICD-10:I60-I699
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 24

AGE-SPECIFIC DEATH RATES FOR CEREBROVASCULAR DISEASE
ICD-9 : 430-434, 436-438; ICD-10:I60-I699
MONTANA RESIDENTS, 1997-2006





Figure 25

AGE-ADJUSTED* DEATH RATES FOR CHRONIC LOWER RESPIRATORY DISEASES
ICD-9: 490-496; ICD-10: J40-J49, J67
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 26

AGE-SPECIFIC DEATH RATES FOR CHRONIC LOWER RESPIRATORY DISEASES
ICD-9: 490-496; ICD-10: J40-J49, J67
MONTANA RESIDENTS , 1997-2006





Figure 27

**AGE-ADJUSTED* DEATH RATES FOR ACCIDENTS
ICD-9: E800-E869, E880-E929; ICD-10: V01-X59, Y85-Y86
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 28

**AGE-SPECIFIC DEATH RATES FOR ACCIDENTS
ICD-9: E800-E869, E880-E929; ICD-10: V01-X59, Y85-Y86
MONTANA RESIDENTS, 1997-2006**





Figure 29

AGE-ADJUSTED* DEATH RATES FOR MOTOR VEHICLE ACCIDENTS
 ICD-9: E810-E825; ICD-10: V02-V04, V09.0, V09.2, V12-V14 V19.0-V19.2, V19.4-V19.6, V20-V79,
 V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8 V88.0-V88.8, V89.0, V89.2
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 30

AGE-SPECIFIC DEATH RATES FOR MOTOR VEHICLE ACCIDENTS
 ICD-9: E810-E825; ICD-10: V02-V04, V09.0, V09.2, V12-V14 V19.0-V19.2, V19.4-V19.6, V20-V79,
 V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8 V88.0-V88.8, V89.0, V89.2
MONTANA RESIDENTS, 1997-2006





Figure 31

AGE-ADJUSTED* DEATH RATES FOR NON-MOTOR-VEHICLE ACCIDENTS
 ICD-9: E800-E807, E826-E949 ; ICD-10: V01, V05-V08, V09.1, V09.3-V11, V15-V18, V19.3,
 V19.7-V19.9, V80.1-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.3-X59, Y85-Y86
 MONTANA AND U.S.** RESIDENTS, 1997-2006



* Adjusted with the direct method to the projected 2000 U.S. population

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available

Figure 32

AGE-SPECIFIC DEATH RATES FOR NON-MOTOR-VEHICLE ACCIDENTS
 ICD-9: E800-E807, E826-E949 ; ICD-10: V01, V05-V08, V09.1, V09.3-V11, V15-V18, V19.3,
 V19.7-V19.9, V80.1-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.3-X59, Y85-Y86
 MONTANA RESIDENTS, 1997-2006





Figure 33

AGE-ADJUSTED*DEATH RATES FOR PNEUMONIA AND INFLUENZA
ICD-9: 480-487; ICD-10: J10-J18
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 34

AGE-SPECIFIC DEATH RATES FOR PNEUMONIA AND INFLUENZA
ICD-9: 480-487; ICD-10: J10-J18
MONTANA RESIDENTS, 1997-2006





Figure 35

**AGE-ADJUSTED* DEATH RATES FOR DIABETES
ICD-9: 250; ICD-10: E10-E14
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 36

**AGE-SPECIFIC DEATH RATES FOR DIABETES
ICD-9: 250; ICD-10: E10-E14
MONTANA RESIDENTS, 1997-2006**





Figure 37

**AGE-ADJUSTED* DEATH RATES FOR SUICIDE
ICD-9: E950-E959; ICD-10: X60-X84, Y87.0
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 38

**AGE-SPECIFIC DEATH RATES FOR SUICIDE
ICD-9: E950-E959; ICD-10: X60-X84, Y87.0
MONTANA RESIDENTS, 1997-2006**





Figure 39

AGE-ADJUSTED* DEATH RATES FOR NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS
ICD-9: 580-589; ICD-10: N00-N07, N17-N19, N25-N27
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 40

AGE-SPECIFIC DEATH RATES FOR NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS
ICD-9: 580-589; ICD-10: N00-N07, N17-N19, N25-N27
MONTANA RESIDENTS, 1997-2006





Figure 41

**AGE-ADJUSTED* DEATH RATES FOR ALZHEIMER'S DISEASE
ICD-9: 331.0; ICD-10: G30
MONTANA AND U.S.** RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 42

**AGE-SPECIFIC DEATH RATES FOR ALZHEIMER'S DISEASE
ICD-9: 331.0; ICD-10: G30
MONTANA RESIDENTS, 1997-2006**





Figure 43

AGE-ADJUSTED* DEATH RATES FOR CHRONIC LIVER DISEASE AND CIRRHOSIS
ICD-9: 571; ICD-10: K70, K73-K74
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are preliminary and 2005 and 2006 are not yet available.

Figure 44

AGE-SPECIFIC DEATH RATES FOR CHRONIC LIVER DISEASE AND CIRRHOSIS
ICD-9: 571; ICD-10: K70, K73-K74
MONTANA RESIDENTS, 1997-2006





Figure 45

AGE-ADJUSTED DEATH RATES FOR HOMICIDE AND LEGAL INTERVENTION
ICD-9 : 960-978; ICD-10 : Y35, X85-Y09, Y871, Y890
MONTANA AND U.S. RESIDENTS, 1997-2006**



* Adjusted with the direct method to the projected 2000 U.S. population.

** The U.S. rates for 2004 are final and 2004 & 2005 are not yet available.

Figure 46

AGE-SPECIFIC DEATH RATES FOR HOMICIDE AND LEGAL INTERVENTION
ICD-9 : 960-978; ICD-10 : Y35, X85-Y09, Y871, Y890
MONTANA RESIDENTS, 1997-2006

